

Compare Our NIDs

The Precision Group NID line offers enhanced ease, speed, and efficiency for installers, coupled with a visually appealing aesthetic at the customer's premise. Our NIDs are thoughtfully designed by installers, for installers ensuring a seamless user experience and reduced deployment time ... problem solved.

Compact Flex NID (C-FLEX)

PFCFLEX-NID

- ✓ Dimensions: 7.6" Hx4" Wx2" D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Pole Or Wall Mount
- ✓ Low Profile Design For Customer Pleasing Aesthetics
- ✓ Integrated Slack Storage For 3.0mm Or 4.8mm I/O Cable



Midsized Flex NID (M-FLEX)

M-FLEXNID

- ✓ Dimensions: 9" Hx6.15" Wx2.25" D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Pole Or Wall Mount
- ✓ Field Selectable Bulkhead Positions
- ✓ Holds Up To 4 SC Or 8 LC Bulkhead Adapters
- ✓ Precision Flex Clips Offer 3 Channel Separation Of Strength Member, Buffer Tube And I/O Fiber
- ✓ Store Over 50 Feet Of 3.0mm I/O Fiber



Standard Flex NID (FlexNID)

PFFLEX-NID

- ✓ Dimensions: 10.2" Hx10.6" Wx3" D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Splice Tray Locks In Open Position For Installer Access
- ✓ Field Selectable Bulkhead Positions
- ✓ Channel Separation For Drop And I/O Fiber



FlexMax NID w/ Fixed Splice Tray

PFFLEXMAX-NID

- ✓ Dimensions: 10.2" Hx10.6" Wx3" D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Holds Up To 4 SC Or 8 LC Bulkhead Adapters
- ✓ Field Selectable Bulkhead Positions
- ✓ Precision Flex Clips Offer 3 Channel Separation Of Strength Member, Buffer Tube And I/O Fiber
- ✓ Store Over 100' Of 3.0mm I/O Jumper
- ✓ Fixed Splice Tray Holds Up To 12 Splices And Optional PLC Splitter



Compare Our NIDs

The Precision Group NID line offers enhanced ease, speed, and efficiency for installers, coupled with a visually appealing aesthetic at the customer's premise. Our NIDs are thoughtfully designed by installers, for installers ensuring a seamless user experience and reduced deployment time ... problem solved.

Midsized Deep Base FlexNID (MFLEX-DB) Non Spool Compatible

MFLEX-DB


- ✓ Dimensions: 9.88" Hx6.61" Wx3.00" D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ **Pole Or Wall Mount**
- ✓ **Field Selectable Bulkhead Positions**
- ✓ **Holds Up To 4 SC Or 8 LC Bulkhead Adapters**
- ✓ **Precision Flex Clips Offer 3 Channel Separation Of Strength Member, Buffer Tube And I/O Fiber**
- ✓ **Store Over 50 Feet Of 3.0mm I/O Fiber**
- Push-Through Grommets For Exiting The Rear of the NID**
- ✓ **Flat-Drop Channel for Aerial Applications**
- ✓ **Tool-less Clear Splice Tray Cover**
- ✓ **Flexible Mounting Via Internal & External Mounting Positions**
- ✓ **Flex-lock Output Grommet for Dual 3.0 or 4.8mm Round I/O Jumper Standard**
- ✓ **Optional Microduct Grommets**



Midsized Deep Base FlexNID (MFLEX-DB) Spool Compatible

MFLEX-DBS

- ✓ Dimensions: 9.88" Hx6.61" Wx3.00" D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ **Pole Or Wall Mount**
- ✓ **Field Selectable Bulkhead Positions**
- ✓ **Holds Up To 4 SC Or 8 LC Bulkhead Adapters**
- ✓ **Precision Flex Clips Offer 3 Channel Separation Of Strength Member, Buffer Tube And I/O Fiber**
- ✓ **Store Over 50 Feet Of 3.0mm I/O Fiber on a Spool**
- Push-Through Grommets For Exiting The Rear of the NID**
- ✓ **Flat-Drop Channel for Aerial Applications**
- ✓ **Tool-less Clear Splice Tray Cover**
- ✓ **Flexible Mounting Via Internal & External Mounting Positions**
- ✓ **Flex-lock Output Grommet for Dual 3.0 or 4.8mm Round I/O Jumper Standard**
- ✓ **Optional Microduct Grommets**




Compare Our NIDs

The Precision Group NID line offers enhanced ease, speed, and efficiency for installers, coupled with a visually appealing aesthetic at the customer's premise. Our NIDs are thoughtfully designed by installers, for installers ensuring a seamless user experience and reduced deployment time ... problem solved.

Flex MXU NID

PF-FLEXMXU

- ✓ Dimensions: 10.3 H x 10.8" W x 4.4" D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Holds Up To 12 SC Bulkhead Adapters
- ✓ Precision Flex Clips Offer 3 Channel
- ✓ Separation Of Strength Member, Buffer Tube And I/O Fiber
- ✓ Store Over 100' Of 3.0mm I/O Jumper
- ✓ Fixed Splice Tray Holds Up To 16 Splices And



ONT NID (Optical Network Terminal)

PF-ONT-NID

- ✓ Dimensions 10" W x 12 3/4" L x 3 3/4" D
- ✓ Optional Laser Engraved Logo
- ✓ Fiber Splice Tray
- ✓ 2 SCA Bulkhead Adapters
- ✓ Fiber Securement
- ✓ Grounding Hardware
- ✓ Entry/Exit Grommets



Compare Our NIDs

The Precision Group NID line offers enhanced ease, speed, and efficiency for installers, coupled with a visually appealing aesthetic at the customer's premise. Our NIDs are thoughtfully designed by installers, for installers ensuring a seamless user experience and reduced deployment time ... problem solved.

Express NID with Optional Slack Basket

ExpressNID



- ✓ Dimensions: 9.89" Wx10.25" Lx2.95" D
- ✓ Optional Laser Engraved Logo
- ✓ Optional Locate Lug
- ✓ Flex-lock Lay-in Cable Entry/exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Optional Flex-lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Holds Up To 12 Sc Bulkhead Adapters
- ✓ Store Over 100' Of Precision Micro Drop When Partnered With Optional Express Basket
- ✓ Store Over 100' Of 3.0mm I/o Jumper
- ✓ Fixed Splice Tray And Plc Splitter Position
- ✓ Designed Specifically For Preconnectorized Drop And Slack Storage Deployment
- ✓ Push-through Grommets For Exiting The Rear Of The Express NID
- ✓ Tool-less "Snap And Secure" Connection To Precision Express Basket For Optimal Cable Storage
- ✓ Integrated External Flat Drop Securement Side Channel
- ✓ Flat drop channel for aerial applications

Tool-Less Express NID (EXPRESSTL)

ExpressNID-TL



- ✓ Dimensions: 9.89" Wx10.25" Lx2.95" D
- ✓ Optional Laser Engraved Logo
- ✓ Optional Locate Lug
- ✓ Flex-lock Lay-in Cable Entry/exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Optional Flex-lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Holds Up To 12 Sc Bulkhead Adapters
- ✓ Store Over 100' Of Precision Micro Drop When Partnered With Optional Express Basket
- ✓ Store Over 100' Of 3.0mm I/o Jumper
- ✓ Fixed Splice Tray And Plc Splitter Position
- ✓ Designed Specifically For Preconnectorized Drop And Slack Storage Deployment
- ✓ Push-through Grommets For Exiting The Rear Of The Express NID
- ✓ Tool-less "Snap And Secure" Connection To Precision Express Basket For Optimal Cable Storage
- ✓ Integrated External Flat Drop Securement Side Channel
- ✓ Flat drop channel for aerial applications
- ✓ Multifunctional Ground And Strength Member
- ✓ Securement Lug
- ✓ Engineered for efficient, cost effective manufacturing and user flexibility.
- ✓ Designed Specifically For Preconnectorized Drop And Slack Storage Deployment