

NIDs

At Precision Group, we are committed to creating tools that help you do what you do, your way. That philosophy shows in our complete line of Fiber Network Interface Devices (NIDs). Large, small, single-family, or multi-dwelling unit, we have a NID that supports how you want to work. Explore our extensive catalog of Precision Fiber NIDs.

Standard Flex NID (FlexNID)

PFFLEX-NID



- ✓ Dimensions: 10.2" Hx10.6" Wx3" D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Splice Tray Locks In Open Position For Installer Access
- ✓ Field Selectable Bulkhead Positions
- ✓ Channel Separation For Drop And I/O Fiber

FlexMax NID w/ Fixed Splice Tray

PFFLEXMAX-NID



- ✓ Dimensions: 10.2" Hx10.6" Wx3" D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Holds Up To 4 SC Or 8 LC Bulkhead Adapters
- ✓ Field Selectable Bulkhead Positions
- ✓ Precision Flex Clips Offer 3 Channel Separation Of Strength Member, Buffer Tube And I/O Fiber
- ✓ Store Over 100' Of 3.0mm I/O Jumper
- ✓ Fixed Splice Tray Holds Up To 12 Splices And Optional PLC Splitter

Compact Flex NID (C-FLEX)

PFCFLEX-NID



- ✓ Dimensions: 7.6" Hx4" Wx2" D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Pole Or Wall Mount
- ✓ Low Profile Design For Customer Pleasing Aesthetics
- ✓ Integrated Slack Storage For 3.0mm Or 4.8mm I/O Cable

Midsized Flex NID (M-FLEX)

M-FLEXNID



- ✓ Dimensions: 9" Hx6.15" Wx2.25" D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Pole Or Wall Mount
- ✓ Field Selectable Bulkhead Positions
- ✓ Holds Up To 4 SC Or 8 LC Bulkhead Adapters
- ✓ Precision Flex Clips Offer 3 Channel Separation Of Strength Member, Buffer Tube And I/O Fiber
- ✓ Store Over 50 Feet Of 3.0mm I/O Fiber

NIDs

At Precision Group, we are committed to creating tools that help you do what you do, your way. That philosophy shows in our complete line of Fiber Network Interface Devices (NIDs). Large, small, single-family, or multi-dwelling unit, we have a NID that supports how you want to work. Explore our extensive catalog of Precision Fiber NIDs.

Midsized Deep Base FlexNID (MFLEX-DB) Non Spool Compatible

MFLEX-DB


- ✓ Dimensions: 9.88" H x 6.61" W x 3.00" D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Pole Or Wall Mount
- ✓ Field Selectable Bulkhead Positions
- ✓ Holds Up To 4 SC Or 8 LC Bulkhead Adapters
- ✓ Precision Flex Clips Offer 3 Channel Separation Of Strength Member, Buffer Tube And I/O Fiber
- ✓ Store Over 50 Feet Of 3.0mm I/O Fiber
- ✓ Push-Through Grommets For Exiting The Rear of the NID
- ✓ Flat-Drop Channel for Aerial Applications
- ✓ Tool-less Clear Splice Tray Cover
- ✓ Flexible Mounting Via Internal & External Mounting Positions
- ✓ Flex-lock Output Grommet for Dual 3.0 or 4.8mm Round I/O Jumper Standard
- ✓ Optional Microduct Grommets



Midsized Deep Base FlexNID (MFLEX-DB) Spool Compatible

MFLEX-DBS

- ✓ Dimensions: 9.88" H x 6.61" W x 3.00" D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Pole Or Wall Mount
- ✓ Field Selectable Bulkhead Positions
- ✓ Holds Up To 4 SC Or 8 LC Bulkhead Adapters
- ✓ Precision Flex Clips Offer 3 Channel Separation Of Strength Member, Buffer Tube And I/O Fiber
- ✓ Store Over 50 Feet Of 3.0mm I/O Fiber on a Spool
- ✓ Push-Through Grommets For Exiting The Rear of the NID
- ✓ Flat-Drop Channel for Aerial Applications
- ✓ Tool-less Clear Splice Tray Cover
- ✓ Flexible Mounting Via Internal & External Mounting Positions
- ✓ Flex-lock Output Grommet for Dual 3.0 or 4.8mm Round I/O Jumper Standard
- ✓ Optional Microduct Grommets




NIDs

At Precision Group, we are committed to creating tools that help you do what you do, your way. That philosophy shows in our complete line of Fiber Network Interface Devices (NIDs). Large, small, single-family, or multi-dwelling unit, we have a NID that supports how you want to work. Explore our extensive catalog of Precision Fiber NIDs.

ONT NID (Optical Network Terminal)

PF-ONT-NID



- ✓ Dimensions 10" W x 12 3/4" L x 3 3/4" D
- ✓ Optional Laser Engraved Logo
- ✓ Fiber Splice Tray
- ✓ 2 SCA Bulkhead Adapters
- ✓ Fiber Securement
- ✓ Grounding Hardware Entry/Exit Grommets

MDU NID


PFMDU



- ✓ 9.15" (L) x 8.00" (W) x 2.62" (D)
- ✓ Up to 24F with LC
- ✓ Up to 12F with SC
- ✓ Supports Round or Flat Fiber
- ✓ Integrated Slack Storage
- ✓ Integrated Splice Tray
- ✓ Industry Standard Entry Lock
- ✓ In/Out Cable Glands for ease of entry and exit
- ✓ Bulk Exit for I/O ruggedized premise fiber or up to 10 single exit positions for 2mm-3mm fibers
- ✓ External Bonding Nut for quick locating and grounding
- ✓ Can be preloaded with 1x2:1x16 PLC Splitters
- ✓ Multiple configurations to support any application

Flex MXU NID

PF-FLEXMXU



- ✓ Dimensions: 10.3 H x 10.8" W x 4.4" D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Holds Up To 12 SC Bulkhead Adapters
- ✓ Precision Flex Clips Offer 3 Channel
- ✓ Separation Of Strength Member, Buffer Tube And I/O Fiber
- ✓ Store Over 100' Of 3.0mm I/O Jumper
- ✓ Fixed Splice Tray Holds Up To 16 Splices And Optional PLC Splitter

Fiber Drop Repair Kit

DROPKIT



- ✓ Easily Repairs An Aerial Fiber Optic Cable Drop
- ✓ Dual Strength Member Lugs Secure Both Sides Of Drop
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat Drop Cable
- ✓ Integrated Splice Tray
- ✓ Optional Laser Engraved Logo

NIDs

At Precision Group, we are committed to creating tools that help you do what you do, your way. That philosophy shows in our complete line of Fiber Network Interface Devices (NIDs). Large, small, single-family, or multi-dwelling unit, we have a NID that supports how you want to work. Explore our extensive catalog of Precision Fiber NIDs.

Express NID with Optional Slack Basket



ExpressNID

- ✓ Dimensions: 9.89" Wx10.25" Lx2.95" D
- ✓ Optional Laser Engraved Logo
- ✓ Optional Locate Lug
- ✓ Flex-lock Lay-in Cable Entry/exit Grommets
- ✓ Secure And Seal Flat And Round Drop Cable
- ✓ Optional Flex-lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Holds Up To 12 Sc Bulkhead Adapters
- ✓ Store Over 100' Of Precision Micro Drop When Partnered With Optional Express Basket
- ✓ Store Over 100' Of 3.0mm I/o Jumper
- ✓ Fixed Splice Tray And Plc Splitter Position
- ✓ Designed Specifically For Preconnectorized Drop And Slack Storage Deployment
- ✓ Push-through Grommets For Exiting The Rear Of The Express NID
- ✓ Tool-less "Snap And Secure" Connection To Precision Express Basket For Optimal Cable Storage
- ✓ Integrated External Flat Drop Securement Side Channel
- ✓ Flat drop channel for aerial applications

Tool-Less Express NID (EXPRESSTL)



ExpressNID-TL

- ✓ Dimensions: 9.89" Wx10.25" Lx2.95" D
- ✓ Optional Laser Engraved Logo
- ✓ Optional Locate Lug
- ✓ Flex-lock Lay-in Cable Entry/exit Grommets
- ✓ Secure And Seal Flat And Round Drop Cable
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Holds up to 6 SC or 12 LC Bulkhead Adapters
- ✓ Store Over 100' Of Precision Micro Drop When Partnered With Optional Express Basket
- ✓ Store Over 100' Of 3.0mm I/o Jumper
- ✓ Fixed Splice Tray And Plc Splitter Position
- ✓ Designed Specifically For Preconnectorized Drop And Slack Storage Deployment
- ✓ Push-through Grommets For Exiting The Rear Of The Express NID
- ✓ Tool-less "Snap And Secure" Connection To Precision Express Basket For Optimal Cable Storage
- ✓ Flat drop channel for aerial applications
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Engineered for efficient, cost effective manufacturing and user flexibility.
- ✓ Designed Specifically For Preconnectorized Drop And Slack Storage Deployment

NIDs

At Precision Group, we are committed to creating tools that help you do what you do, your way. That philosophy shows in our complete line of Fiber Network Interface Devices (NIDs). Large, small, single-family, or multi-dwelling unit, we have a NID that supports how you want to work. Explore our extensive catalog of Precision Fiber NIDs.

Cable Management Transition Plate for Indoor ONT Installations

PF-ONT-TRPL



- ✓ Fits Existing Ont Nid Hinge Mounts
- ✓ Holds Up To 150 Feet Of 3mm
- ✓ Will Hold I/O Fiber On A Reel

Express Basket

PF-EXPRESS-BASKET



- ✓ Pole or Wall Mount
- ✓ Store up to 100' of micro drop or 50' of flat drop?
- ✓ Multiple points throughout for drop fiber securement
- ✓ Designed to hold PF-EXPRESS-1000 NID (And some other competitor NIDs) with screw holes that line up with NID mounting feet

ONT NID w/ Transition Flex Plate

X-ONT



- ✓ Optional Laser Engraved Logo
- ✓ Toolless Design Allows For Quick And Easy Install Into Pre-Existing ONT NIDs
- ✓ Optional I/O Fiber On A Reel Compatible
- ✓ Store Over 100' Of 3.0mm I/O Jumper
- ✓ Optional Bulkhead Attachment Plate To Support Up To 12f Patch And Splice
- ✓ Compatible With Corning And Precision ONT NID
- ✓ Reduce Install Time And Cost