

Fiber ONT and Router Enclosures

If you are looking for a clean, organized install where your ONT, router, and cabling are protected, we have a solution to fit your needs. Our Fiber ONT and Router Enclosures come in multiple sizes to accommodate traditional ONTs and routers while providing proper ventilation, organized cable management, and clear visibility to device status lights. When combined with our laser-engraved logo and QR code, they also help future-proof the install and support self-installation.

Universal ONT FlexPlate

UFLEX



- ✓ Multiple Cable Entry/Exit Ports Surface Mount or Behind the Wall and Can Accept 3mm, 4.8mm or 900 Micron
- ✓ ONT Mounting With Secure Covers with Ample Air Circulation
- ✓ Custom Logo Printing at No Charge with MOQ of 500 pcs
- ✓ QR Code Printing for Self-Install and Remote Activation
- ✓ Can be Mounted Over an Existing Standard Junction Box
- ✓ Ample Slack Storage and Cable Management
- ✓ Fusion Splice holder
- ✓ Visual LED Access for Activation Confirmation and Trouble Shooting
- ✓ Two Keystone Positions for External Customer Access for Internet Access, Wi-Fi Router Connection, VOIP, etc
- ✓ Can be pre-terminated with your choice of keystones and jumpers
- ✓ Industry Standard Can Wrench for Securing the Cover
- ✓ Mounting Plates to Support Calix 803,801,1100,1101 and Adtran 62X, 411, 401 ONTs
- ✓ Velcro Mounting Plate option to fit any Micro ONT
- ✓ Custom ONT Plates Available to Meet Your Requirements

Adtran 631qv/632v FlexPlate


PF-FLEXPL-T-7000



- ✓ Multiple Cable Entry/Exit Ports Surface Mount or Behind the Wall and Can Accept 3mm, 4.8mm or 900 Micron
- ✓ ONT Mounting With Secure Covers with Ample Air Circulation
- ✓ Custom Logo Printing at No Charge with MOQ of 500 pcs
- ✓ QR Code Printing for Self-Install and Remote Activation
- ✓ Two Keystone Positions for External Customer Access for Internet Access, Wi-Fi Router Connection, VOIP, etc
- ✓ Can be pre-terminated with your choice of keystones and jumpers

Calix 1101 FlexPlate

PF-FLEXPL-T-8000



- ✓ Multiple Cable Entry/Exit Ports Surface Mount or Behind the Wall and Can Accept 3mm, 4.8mm or 900 Micron
- ✓ ONT Mounting With Secure Covers with Ample Air Circulation
- ✓ Custom Logo Printing at No Charge with MOQ of 500 pcs
- ✓ QR Code Printing for Self-Install and Remote Activation
- ✓ Two Keystone Positions for External Customer Access for Internet Access, Wi-Fi Router Connection, VOIP, etc
- ✓ Can be pre-terminated with your choice of keystones and jumpers
- ✓ Adaptable and Field Configurable with Multiple Mounting Options for Compact CPE

Smart Router FlexPlate for Calix U4.2

PF-FLEXPL-T-8100



- ✓ Designed specifically for the Calix GigaSpire Blast U4.2 Smart Router
- ✓ Custom Logo Printing at No Charge with MOQ of 500 pcs
- ✓ QR Code Printing for Self-Install and Remote Activation
- ✓ Dresses Copper and Power Connections for an Organized, Clutter-Free Appearance
- ✓ Built-In Recess Allows Improved Routing and Strain Relief for the Router Power Cord
- ✓ Creates a Streamlined Installation that Blends Neatly into the Customer Premises
- ✓ Smart Router Mounting with Secure Covers with ample air circulation
- ✓ Multiple cable entry ports for access from the wall or baseboard. Surface mount or single gang box



(888) 619-1651
Sales@GoPrecisionGroup.com
GoPrecisionGroup.com

Fiber ONT and Router Enclosures

If you are looking for a clean, organized install where your ONT, router, and cabling are protected, we have a solution to fit your needs. Our Fiber ONT and Router Enclosures come in multiple sizes to accommodate traditional ONTs and routers while providing proper ventilation, organized cable management, and clear visibility to device status lights. When combined with our laser-engraved logo and QR code, they also help future-proof the install and support self-installation.

Nokia XS-010X-Q Flex Plate

PF-FLEXPL-T-5000



- ✓ Multiple Cable Entry/Exit Ports Surface Mount or Behind the Wall and Can Accept 3mm, 4.8mm or 900 Micron
- ✓ ONT Mounting With Secure Covers with Ample Air Circulation
- ✓ Custom Logo Printing at No Charge with MOQ of 500 pcs
- ✓ QR Code Printing for Self-Install and Remote Activation
- ✓ Can be Mounted Over an Existing Standard Junction Box
- ✓ Ample Slack Storage and Cable Management
- ✓ Fusion Splice holder
- ✓ Visual LED Access for Activation Confirmation and Trouble Shooting
- ✓ Two Keystone Positions for External Customer Access for Internet Access, Wi-Fi Router Connection, VOIP, etc
- ✓ Can be pre-terminated with your choice of keystones and jumpers

Adtran 411 Flex Plate

PFFLEXPL



- ✓ Multiple Cable Entry/Exit Ports Surface Mount or Behind the Wall and Can Accept 3mm, 4.8mm or 900 Micron
- ✓ ONT Mounting With Secure Covers with Ample Air Circulation
- ✓ Custom Logo Printing at No Charge with MOQ of 500 pcs
- ✓ QR Code Printing for Self-Install and Remote Activation
- ✓ Can be Mounted Over an Existing Standard Junction Box
- ✓ Ample Slack Storage and Cable Management
- ✓ Fusion Splice holder
- ✓ Visual LED Access for Activation Confirmation and Trouble Shooting

Adtran 601qv FlexPlate

PF-FLEXPL-T-6000



- ✓ Multiple Cable Entry/Exit Ports Surface Mount or Behind the Wall and Can Accept 3mm, 4.8mm or 900 Micron
- ✓ ONT Mounting With Secure Covers with Ample Air Circulation
- ✓ Custom Logo Printing at No Charge with MOQ of 500 pcs
- ✓ QR Code Printing for Self-Install and Remote Activation
- ✓ Can be Mounted Over an Existing Standard Junction Box
- ✓ Ample Slack Storage and Cable Management
- ✓ Fusion Splice holder
- ✓ Visual LED Access for Activation Confirmation and Trouble Shooting
- ✓ Two Keystone Positions for External Customer Access for Internet Access, Wi-Fi Router Connection, VOIP, etc
- ✓ Can be pre-terminated with your choice of keystones and jumpers

Adtran 611 Flex Plate

PF-FLEXPL-T-4000



- ✓ Multiple Cable Entry/Exit Ports Surface Mount or Behind the Wall and Can Accept 3mm, 4.8mm or 900 Micron
- ✓ ONT Mounting With Secure Covers with Ample Air Circulation
- ✓ Custom Logo Printing at No Charge with MOQ of 500 pcs
- ✓ QR Code Printing for Self-Install and Remote Activation
- ✓ Can be Mounted Over an Existing Standard Junction Box
- ✓ Ample Slack Storage and Cable Management
- ✓ Fusion Splice holder
- ✓ Visual LED Access for Activation Confirmation and Trouble Shooting



(888) 619-1651
Sales@GoPrecisionGroup.com
GoPrecisionGroup.com

Fiber ONT and Router Enclosures

If you are looking for a clean, organized install where your ONT, router, and cabling are protected, we have a solution to fit your needs. Our Fiber ONT and Router Enclosures come in multiple sizes to accommodate traditional ONTs and routers while providing proper ventilation, organized cable management, and clear visibility to device status lights. When combined with our laser-engraved logo and QR code, they also help future-proof the install and support self-installation.

Li-18 Micro UPS Universal Enclosure, Indoor


PP18EN



- ✓ Multiple Cable Entry/Exit Ports Surface Mount or Behind the Wall and Can Accept 3mm, 4.8mm or 900 Micron
- ✓ ONT Mounting With Secure Covers with Ample Air Circulation
- ✓ Custom Logo Printing at No Charge with MOQ of 500 pcs
- ✓ QR Code Printing for Self-Install and Remote Activation
- ✓ Can be Mounted Over an Existing Standard Junction Box
- ✓ Ample Slack Storage and Cable Management
- ✓ Fusion Splice holder
- ✓ Fully enclosed ONT
- ✓ Mounting area for Battery Backup
- ✓ Control Access Window Allows for Customer Control Without Removing Cover
- ✓ UL Listed Fire Retardent Plastic
- ✓ Fiber Retention Holders for Securing Standard Flat or
- ✓ Round Drop Fiber
- ✓ Movable Slack Storage Tray Allows for Universal Fit for
- ✓ Nearly All Indoor ONT Models

Li-36 Micro UPS Universal Enclosure, Indoor

PP36EN



- ✓ Multiple Cable Entry/Exit Ports Surface Mount or Behind the Wall and Can Accept 3mm, 4.8mm or 900 Micron
- ✓ ONT Mounting With Secure Covers with Ample Air Circulation
- ✓ Custom Logo Printing at No Charge with MOQ of 500 pcs
- ✓ QR Code Printing for Self-Install and Remote Activation
- ✓ Can be Mounted Over an Existing Standard Junction Box
- ✓ Ample Slack Storage and Cable Management
- ✓ Fusion Splice holder
- ✓ Fully enclosed ONT
- ✓ Mounting area for Battery Backup
- ✓ Control Access Window Allows for Customer Control Without Removing Cover
- ✓ UL Listed Fire Retardent Plastic
- ✓ Fiber Retention Holders for Securing Standard Flat or
- ✓ Round Drop Fiber
- ✓ Movable Slack Storage Tray Allows for Universal Fit for
- ✓ Nearly All Indoor ONT Models

17 x 14 x 6 NEMA Enclosure, Outdoor

PP17146EN



- ✓ Dimensions (H x W x D): 17" x 14" x 6"
- ✓ NEMA Rated
- ✓ Aluminum Back Plate for Equipment Mounting
- ✓ Multiple entry and exit Fiber/Cable management and securement options
- ✓ Optional single or dual gang outlet boxes
- ✓ Optional Vented Cover
- ✓ Built to withstand extreme temperatures
- ✓ Company Logo Options

Calix 801/803 Flex Plate

PF-FLEXPL-T-1000



- ✓ Multiple Cable Entry/Exit Ports Surface Mount or Behind the Wall and Can Accept 3mm, 4.8mm or 900 Micron
- ✓ ONT Mounting With Secure Covers with Ample Air Circulation
- ✓ Custom Logo Printing at No Charge with MOQ of 500 pcs
- ✓ QR Code Printing for Self-Install and Remote Activation
- ✓ Can be Mounted Over an Existing Standard Junction Box
- ✓ Ample Slack Storage and Cable Management
- ✓ Fusion Splice holder
- ✓ Visual LED Access for Activation Confirmation and Trouble



(888) 619-1651
Sales@GoPrecisionGroup.com
GoPrecisionGroup.com

Fiber ONT and Router Enclosures

If you are looking for a clean, organized install where your ONT, router, and cabling are protected, we have a solution to fit your needs. Our Fiber ONT and Router Enclosures come in multiple sizes to accommodate traditional ONTs and routers while providing proper ventilation, organized cable management, and clear visibility to device status lights. When combined with our laser-engraved logo and QR code, they also help future-proof the install and support self-installation.

Li-18 Micro UPS Wall Mount, Indoor

PP18WM



- ✓ UPS Wall Mount Dimensions (H x W x D): 9.7" x 3" x 3" (247mm x 75mm x 75mm)
- ✓ Attachable Vertical Fiber Tray for optional pig-tail splicing
- ✓ UL Listed, Fire Retardant Plastic
- ✓ Multiple entry and exit Fiber/Cable management and securement options
- ✓ Mounts securely to wall – under 2lbs fully loaded with Micro UPS and Cabling
- ✓ Control Access Window allows for Customer Control Options without removing cover
- ✓ Optional pre-made Telemetry Cables available for all ONT Models
- ✓ Fiber Retention Holders for securing standard flat or round drop fiber
- ✓ "Easy Install" Cover and Optional Company Logo

ONT NID Mounting Bracket for Nokia XS230

PFXS230BRKT



- ✓ Metal Bracket That Mounts To The ONT NID Cable Management Transition Plate Designed To Hold A Nokia XS230 ONT
- ✓ Designed For Use With The ONT NID Cable Management Transition Plate
- ✓ Custom Built To Hold The Nokia XS230 ONT
- ✓ Allows Technicians To Re-Use Existing ONT Enclosures
- ✓ Pivot Design To Allow Splice And Connector Access
- ✓ Minimal Form Factor To Maintain Access



(888) 619-1651
Sales@GoPrecisionGroup.com
GoPrecisionGroup.com