

Compare Our NIDs

The Precision Group NID line offers enhanced ease, speed, and efficiency for installers, coupled with a visually appealing aesthetic at the customer's premise. Our NIDs are thoughtfully designed by installers, for installers ensuring a seamless user experience and reduced deployment time ... problem solved.

Compact Flex NID (C-FLEX)


PFCFLEX-NID



- ✓ Dimensions: 7.6"Hx4"Wx2"D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ **Pole Or Wall Mount**
- ✓ **Low Profile Design For Customer Pleasing Aesthetics**
- ✓ **Integrated Slack Storage For 3.0mm Or 4.8mm I/O Cable**

Midsized Flex NID (M-FLEX)


M-FLEXNID



- ✓ Dimensions: 9"Hx6.15"Wx2.25"D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ **Pole Or Wall Mount**
- ✓ **Field Selectable Bulkhead Positions**
- ✓ **Holds Up To 4 SC Or 8 LC Bulkhead Adapters**
- ✓ **Precision Flex Clips Offer 3 Channel Separation Of Strength Member, Buffer Tube And I/O Fiber**
- ✓ **Store Over 50 Feet Of 3.0mm I/O Fiber**

Standard Flex NID (FlexNID)


PFFLEX-NID



- ✓ Dimensions: 10.2"Hx10.6"Wx3"D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ **Splice Tray Locks In Open Position For Installer Access**
- ✓ **Field Selectable Bulkhead Positions**
- ✓ **Channel Separation For Drop And I/O Fiber**

FlexMax NID w/ Fixed Splice Tray

PFFLEXMAX-NID



- ✓ Dimensions: 10.2"Hx10.6"Wx3"D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ **Holds Up To 4 SC Or 8 LC Bulkhead Adapters**
- ✓ **Field Selectable Bulkhead Positions**
- ✓ **Precision Flex Clips Offer 3 Channel Separation Of Strength Member, Buffer Tube And I/O Fiber**
- ✓ **Store Over 100' Of 3.0mm I/O Jumper**
- ✓ **Fixed Splice Tray Holds Up To 12 Splices And Optional PLC Splitter**



(888) 619-1651
Sales@GoPrecisionGroup.com
GoPrecisionGroup.com

Compare Our NIDs

The Precision Group NID line offers enhanced ease, speed, and efficiency for installers, coupled with a visually appealing aesthetic at the customer's premise. Our NIDs are thoughtfully designed by installers, for installers ensuring a seamless user experience and reduced deployment time ... problem solved.

Midsized Deep Base FlexNID (MFLEX-DB) Non Spool Compatible


MFLEX-DB



- ✓ Dimensions: 9.88"Hx6.61"Wx3.00"D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Pole Or Wall Mount
- ✓ Field Selectable Bulkhead Positions
- ✓ Holds Up To 4 SC Or 8 LC Bulkhead Adapters
- ✓ Precision Flex Clips Offer 3 Channel Separation Of Strength Member, Buffer Tube And I/O Fiber
- ✓ Store Over 50 Feet Of 3.0mm I/O Fiber
- ✓ Push-Through Grommets For Exiting The Rear of the NID
- ✓ Flat-Drop Channel for Aerial Applications
- ✓ Tool-less Clear Splice Tray Cover
- ✓ Flexible Mounting Via Internal & External Mounting Positions
- ✓ Flex-lock Output Grommet for Dual 3.0 or 4.8mm Round I/O Jumper Standard
- ✓ Optional Microduct Grommets

Midsized Deep Base FlexNID (MFLEX-DB) Spool Compatible

MFLEX-DBS



- ✓ Dimensions: 9.88"Hx6.61"Wx3.00"D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Pole Or Wall Mount
- ✓ Field Selectable Bulkhead Positions
- ✓ Holds Up To 4 SC Or 8 LC Bulkhead Adapters
- ✓ Precision Flex Clips Offer 3 Channel Separation Of Strength Member, Buffer Tube And I/O Fiber
- ✓ Store Over 50 Feet Of 3.0mm I/O Fiber on a Spool
- ✓ Push-Through Grommets For Exiting The Rear of the NID
- ✓ Flat-Drop Channel for Aerial Applications
- ✓ Tool-less Clear Splice Tray Cover
- ✓ Flexible Mounting Via Internal & External Mounting Positions
- ✓ Flex-lock Output Grommet for Dual 3.0 or 4.8mm Round I/O Jumper Standard
- ✓ Optional Microduct Grommets



(888) 619-1651
Sales@GoPrecisionGroup.com
GoPrecisionGroup.com

Compare Our NIDs

The Precision Group NID line offers enhanced ease, speed, and efficiency for installers, coupled with a visually appealing aesthetic at the customer's premise. Our NIDs are thoughtfully designed by installers, for installers ensuring a seamless user experience and reduced deployment time ... problem solved.

Flex MXU NID


PF-FLEXMXU



- ✓ Dimensions: 10.3 H x 10.8" W x 4.4" D
- ✓ Optional Laser Engraved Logo
- ✓ Precision External Location Lug
- ✓ Optional Flex-Lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Flex-Lock Lay-In Cable Entry/Exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Holds Up To 12 SC Bulkhead Adapters
- ✓ Precision Flex Clips Offer 3 Channel
- ✓ Separation Of Strength Member, Buffer Tube And I/O Fiber
- ✓ Store Over 100' Of 3.0mm I/O Jumper
- ✓ Fixed Splice Tray Holds Up To 16 Splices And

ONT NID (Optical Network Terminal)

PF-ONT-NID



- ✓ Dimensions 10"Wx12¼"Lx3¾"D
- ✓ Optional Laser Engraved Logo
- ✓ Fiber Splice Tray
- ✓ 2 SCA Bulkhead Adapters
- ✓ Fiber Securement
- ✓ Grounding Hardware
- ✓ Entry/Exit Grommets




(888) 619-1651
Sales@GoPrecisionGroup.com
GoPrecisionGroup.com

Compare Our NIDs

The Precision Group NID line offers enhanced ease, speed, and efficiency for installers, coupled with a visually appealing aesthetic at the customer's premise. Our NIDs are thoughtfully designed by installers, for installers ensuring a seamless user experience and reduced deployment time ... problem solved.

Express NID with Optional Slack Basket



ExpressNID

- ✓ Dimensions: 9.89" Wx10.25"Lx2.95"D
- ✓ Optional Laser Engraved Logo
- ✓ Optional Locate Lug
- ✓ Flex-lock Lay-in Cable Entry/exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Optional Flex-lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Holds Up To 12 Sc Bulkhead Adapters
- ✓ Store Over 100' Of Precision Micro Drop When Partnered With Optional Express Basket
- ✓ Store Over 100' Of 3.0mm I/o Jumper
- ✓ Fixed Splice Tray And Plc Splitter Position
- ✓ Designed Specifically For Preconnectorized Drop And Slack Storage Deployment
- ✓ Push-through Grommets For Exiting The Rear Of The Express NID
- ✓ Tool-less "Snap And Secure" Connection To Precision Express Basket For Optimal Cable Storage
- ✓ Integrated External Flat Drop Securement Side Channel
- ✓ Flat drop channel for aerial applications

Tool-Less Express NID (EXPRESSTL)



ExpressNID-TL

- ✓ Dimensions: 9.89" Wx10.25"Lx2.95"D
- ✓ Optional Laser Engraved Logo
- ✓ Optional Locate Lug
- ✓ Flex-lock Lay-in Cable Entry/exit Grommets Secure And Seal Flat And Round Drop Cable
- ✓ Optional Flex-lock Multiport Fiber And Microduct Grommets
- ✓ Optional Riser Conduit Grommet
- ✓ Holds Up To 12 Sc Bulkhead Adapters
- ✓ Fixed Splice Tray And Plc Splitter Position
- ✓ Designed Specifically For Preconnectorized Drop And Slack Storage Deployment
- ✓ Push-through Grommets For Exiting The Rear Of The Express NID
- ✓ Tool-less "Snap And Secure" Connection To Precision Express Basket For Optimal Cable Storage
- ✓ Integrated External Flat Drop Securement Side Channel
- ✓ Flat drop channel for aerial applications
- ✓ Multifunctional Ground And Strength Member Securement Lug
- ✓ Engineered for efficient, cost effective manufacturing and user flexibility.
- ✓ Designed Specifically For Preconnectorized Drop And Slack Storage Deployment
- ✓ Toolless Backplates
- ✓ Uses Cable Management Clips from FlexMax and MFLEX lines



(888) 619-1651
Sales@GoPrecisionGroup.com
GoPrecisionGroup.com